

### Arandela



REF (TIT)	DIAM. EXT. mm	TIPO
MOI 36417065	Ø 6.5	for 2.5 / 3.0 Screws
MOI 36417007	Ø 7.0	for 3.5 / 4.0 Screws
MOI 36417010	Ø 10.0	for 4.5 Screws
MOI 36417013	Ø 13.0	for 6.5 / 7.5 Screws

### 2.5 Tornillo Canalado, Rosca Corta



REF (TIT)	DIA mm	LONGITUD mm	TIPO ROSCA
MOI 36402018	2.5	18 mm	Rosca Corta
MOI 36402020	2.5	20 mm	Rosca Corta
MOI 36402022	2.5	22 mm	Rosca Corta
MOI 36402024	2.5	24 mm	Rosca Corta
MOI 36402026	2.5	26 mm	Rosca Corta
MOI 36402028	2.5	28 mm	Rosca Corta
MOI 36402030	2.5	30 mm	Rosca Corta

### 2.5 Tornillo Canalado, Rosca Larga



REF (TIT)	DIA mm	LONGITUD mm	TIPO ROSCA
MOI 36401010	2.5	10 mm	Rosca Larga
MOI 36401012	2.5	12 mm	Rosca Larga
MOI 36401014	2.5	14 mm	Rosca Larga
MOI 36401016	2.5	16 mm	Rosca Larga
MOI 36401018	2.5	18 mm	Rosca Larga
MOI 36401020	2.5	20 mm	Rosca Larga
MOI 36401022	2.5	22 mm	Rosca Larga
MOI 36401024	2.5	24 mm	Rosca Larga
MOI 36401026	2.5	26 mm	Rosca Larga
MOI 36401028	2.5	28 mm	Rosca Larga
MOI 36401030	2.5	30 mm	Rosca Larga

### 3.0 Tornillo Canalado, Rosca Corta



REF (TIT)	DIA mm	LONGITUD mm	TIPO ROSCA
MOI 36404010	3.0	10 mm	Rosca Corta
MOI 36404012	3.0	12 mm	Rosca Corta
MOI 36404014	3.0	14 mm	Rosca Corta
MOI 36404016	3.0	16 mm	Rosca Corta
MOI 36404018	3.0	18 mm	Rosca Corta
MOI 36404020	3.0	20 mm	Rosca Corta
MOI 36404022	3.0	22 mm	Rosca Corta
MOI 36404024	3.0	24 mm	Rosca Corta
MOI 36404026	3.0	26 mm	Rosca Corta
MOI 36404028	3.0	28 mm	Rosca Corta
MOI 36404030	3.0	30 mm	Rosca Corta
MOI 36404032	3.0	32 mm	Rosca Corta
MOI 36404034	3.0	34 mm	Rosca Corta
MOI 36404036	3.0	36 mm	Rosca Corta
MOI 36404038	3.0	38 mm	Rosca Corta
MOI 36404040	3.0	40 mm	Rosca Corta

### 3.0 Tornillo Canalado, Rosca Larga



REF (TIT)	DIA mm	LONGITUD mm	TIPO ROSCA
MOI 36403014	3.0	14 mm	Rosca Larga
MOI 36403016	3.0	16 mm	Rosca Larga
MOI 36403018	3.0	18 mm	Rosca Larga
MOI 36403020	3.0	20 mm	Rosca Larga
MOI 36403022	3.0	22 mm	Rosca Larga
MOI 36403024	3.0	24 mm	Rosca Larga
MOI 36403026	3.0	26 mm	Rosca Larga
MOI 36403028	3.0	28 mm	Rosca Larga
MOI 36403030	3.0	30 mm	Rosca Larga
MOI 36403032	3.0	32 mm	Rosca Larga
MOI 36403034	3.0	34 mm	Rosca Larga
MOI 36403036	3.0	36 mm	Rosca Larga
MOI 36403038	3.0	38 mm	Rosca Larga
MOI 36403040	3.0	40 mm	Rosca Larga

### 3.5 Tornillo Canulado, Rosca Corta



REF (TIT)	DIA mm	LONGITUD mm	TIPO ROSCA
MOI 36406012	3.5	12 mm	Rosca Corta
MOI 36406014	3.5	14 mm	Rosca Corta
MOI 36406016	3.5	16 mm	Rosca Corta
MOI 36406018	3.5	18 mm	Rosca Corta
MOI 36406020	3.5	20 mm	Rosca Corta
MOI 36406022	3.5	22 mm	Rosca Corta
MOI 36406024	3.5	24 mm	Rosca Corta
MOI 36406026	3.5	26 mm	Rosca Corta
MOI 36406028	3.5	28 mm	Rosca Corta
MOI 36406030	3.5	30 mm	Rosca Corta
MOI 36406032	3.5	32 mm	Rosca Corta
MOI 36406034	3.5	34 mm	Rosca Corta
MOI 36406036	3.5	36 mm	Rosca Corta
MOI 36406038	3.5	38 mm	Rosca Corta
MOI 36406040	3.5	40 mm	Rosca Corta

### 3.5 Tornillo Canulado, Rosca Total



REF (TIT)	DIA mm	LONGITUD mm	TIPO ROSCA
MOI 36405012	3.5	12 mm	Rosca Total
MOI 36405014	3.5	14 mm	Rosca Total
MOI 36405016	3.5	16 mm	Rosca Total
MOI 36405018	3.5	18 mm	Rosca Total
MOI 36405020	3.5	20 mm	Rosca Total
MOI 36405022	3.5	22 mm	Rosca Total
MOI 36405024	3.5	24 mm	Rosca Total
MOI 36405026	3.5	26 mm	Rosca Total
MOI 36405028	3.5	28 mm	Rosca Total
MOI 36405030	3.5	30 mm	Rosca Total
MOI 36405032	3.5	32 mm	Rosca Total
MOI 36405034	3.5	34 mm	Rosca Total
MOI 36405036	3.5	36 mm	Rosca Total
MOI 36405038	3.5	38 mm	Rosca Total
MOI 36405040	3.5	40 mm	Rosca Total

### 4.0 Tornillo Canulado, Rosca Corta



REF (TIT)	DIA mm	LONGITUD mm	TIPO ROSCA
MOI 36408018	4.0	18	Rosca Corta
MOI 36408020	4.0	20	Rosca Corta
MOI 36408022	4.0	22	Rosca Corta
MOI 36408024	4.0	24	Rosca Corta
MOI 36408026	4.0	26	Rosca Corta
MOI 36408028	4.0	28	Rosca Corta
MOI 36408030	4.0	30	Rosca Corta
MOI 36408032	4.0	32	Rosca Corta
MOI 36408034	4.0	34	Rosca Corta
MOI 36408036	4.0	36	Rosca Corta
MOI 36408038	4.0	38	Rosca Corta
MOI 36408040	4.0	40	Rosca Corta
MOI 36408042	4.0	42	Rosca Corta
MOI 36408044	4.0	44	Rosca Corta
MOI 36408046	4.0	46	Rosca Corta
MOI 36408048	4.0	48	Rosca Corta
MOI 36408050	4.0	50	Rosca Corta

### 4.0 Tornillo Canulado, Rosca Larga



REF (TIT)	DIA mm	LONGITUD mm	TIPO ROSCA
MOI 36407018	4.0	18	Rosca Larga
MOI 36407020	4.0	20	Rosca Larga
MOI 36407022	4.0	22	Rosca Larga
MOI 36407024	4.0	24	Rosca Larga
MOI 36407026	4.0	26	Rosca Larga
MOI 36407028	4.0	28	Rosca Larga
MOI 36407030	4.0	30	Rosca Larga
MOI 36407032	4.0	32	Rosca Larga
MOI 36407034	4.0	34	Rosca Larga
MOI 36407036	4.0	36	Rosca Larga
MOI 36407038	4.0	38	Rosca Larga
MOI 36407040	4.0	40	Rosca Larga
MOI 36407042	4.0	42	Rosca Larga
MOI 36407044	4.0	44	Rosca Larga
MOI 36407046	4.0	46	Rosca Larga
MOI 36407048	4.0	48	Rosca Larga
MOI 36407050	4.0	50	Rosca Larga

### 4.5 Tornillo Canulado, Rosca Corta



REF (TIT)	DIA mm	LONGITUD mm	TIPO ROSCA
MOI 36409020	4.5	20 mm	Rosca Corta
MOI 36409022	4.5	22 mm	Rosca Corta
MOI 36409024	4.5	24 mm	Rosca Corta
MOI 36409026	4.5	26 mm	Rosca Corta
MOI 36409028	4.5	28 mm	Rosca Corta
MOI 36409030	4.5	30 mm	Rosca Corta
MOI 36409032	4.5	32 mm	Rosca Corta
MOI 36409034	4.5	34 mm	Rosca Corta
MOI 36409036	4.5	36 mm	Rosca Corta
MOI 36409038	4.5	38 mm	Rosca Corta
MOI 36409040	4.5	40 mm	Rosca Corta
MOI 36409042	4.5	42 mm	Rosca Corta
MOI 36409044	4.5	44 mm	Rosca Corta
MOI 36409046	4.5	46 mm	Rosca Corta
MOI 36409048	4.5	48 mm	Rosca Corta
MOI 36409050	4.5	50 mm	Rosca Corta
MOI 36409052	4.5	52 mm	Rosca Corta
MOI 36409054	4.5	54 mm	Rosca Corta
MOI 36409056	4.5	56 mm	Rosca Corta
MOI 36409060	4.5	60 mm	Rosca Corta

### 4.5 Tornillo Canulado, Rosca Total



REF (TIT)	DIA mm	LONGITUD mm	TIPO ROSCA
MOI 36410020	4.5	20 mm	Rosca Total
MOI 36410022	4.5	22 mm	Rosca Total
MOI 36410024	4.5	24 mm	Rosca Total
MOI 36410026	4.5	26 mm	Rosca Total
MOI 36410028	4.5	28 mm	Rosca Total
MOI 36410030	4.5	30 mm	Rosca Total
MOI 36410032	4.5	32 mm	Rosca Total
MOI 36410034	4.5	34 mm	Rosca Total
MOI 36410036	4.5	36 mm	Rosca Total
MOI 36410038	4.5	38 mm	Rosca Total
MOI 36410040	4.5	40 mm	Rosca Total
MOI 36410042	4.5	42 mm	Rosca Total
MOI 36410044	4.5	44 mm	Rosca Total
MOI 36410046	4.5	46 mm	Rosca Total
MOI 36410048	4.5	48 mm	Rosca Total
MOI 36410050	4.5	50 mm	Rosca Total
MOI 36410052	4.5	52 mm	Rosca Total
MOI 36410054	4.5	54 mm	Rosca Total
MOI 36410056	4.5	56 mm	Rosca Total
MOI 36410060	4.5	60 mm	Rosca Total

### 5.5 Tornillo Canulado, Rosca Corta



REF (TIT)	DIA mm	LONGITUD mm	TIPO ROSCA
MOI 36412020	5.5	20 mm	Rosca Corta
MOI 36412022	5.5	22 mm	Rosca Corta
MOI 36412024	5.5	24 mm	Rosca Corta
MOI 36412026	5.5	26 mm	Rosca Corta
MOI 36412028	5.5	28 mm	Rosca Corta
MOI 36412030	5.5	30 mm	Rosca Corta
MOI 36412032	5.5	32 mm	Rosca Corta
MOI 36412034	5.5	34 mm	Rosca Corta
MOI 36412036	5.5	36 mm	Rosca Corta
MOI 36412038	5.5	38 mm	Rosca Corta
MOI 36412040	5.5	40 mm	Rosca Corta
MOI 36412042	5.5	42 mm	Rosca Corta
MOI 36412044	5.5	44 mm	Rosca Corta
MOI 36412046	5.5	46 mm	Rosca Corta
MOI 36412048	5.5	48 mm	Rosca Corta
MOI 36412050	5.5	50 mm	Rosca Corta
MOI 36412052	5.5	52 mm	Rosca Corta
MOI 36412054	5.5	54 mm	Rosca Corta
MOI 36412056	5.5	56 mm	Rosca Corta
MOI 36412058	5.5	58 mm	Rosca Corta
MOI 36412060	5.5	60 mm	Rosca Corta
MOI 36412065	5.5	65 mm	Rosca Corta
MOI 36412070	5.5	70 mm	Rosca Corta

### 5.5 Tornillo Canulado, Rosca Larga



REF (TIT)	DIA mm	LONGITUD mm	TIPO ROSCA
MOI 36411020	5.5	20 mm	Rosca Larga
MOI 36411022	5.5	22 mm	Rosca Larga
MOI 36411024	5.5	24 mm	Rosca Larga
MOI 36411026	5.5	26 mm	Rosca Larga
MOI 36411028	5.5	28 mm	Rosca Larga
MOI 36411030	5.5	30 mm	Rosca Larga
MOI 36411032	5.5	32 mm	Rosca Larga
MOI 36411034	5.5	34 mm	Rosca Larga
MOI 36411036	5.5	36 mm	Rosca Larga
MOI 36411038	5.5	38 mm	Rosca Larga
MOI 36411040	5.5	40 mm	Rosca Larga
MOI 36411042	5.5	42 mm	Rosca Larga
MOI 36411044	5.5	44 mm	Rosca Larga
MOI 36411046	5.5	46 mm	Rosca Larga
MOI 36411048	5.5	48 mm	Rosca Larga
MOI 36411050	5.5	50 mm	Rosca Larga
MOI 36411052	5.5	52 mm	Rosca Larga
MOI 36411054	5.5	54 mm	Rosca Larga
MOI 36411056	5.5	56 mm	Rosca Larga
MOI 36411058	5.5	58 mm	Rosca Larga
MOI 36411060	5.5	60 mm	Rosca Larga
MOI 36411065	5.5	65 mm	Rosca Larga
MOI 36411070	5.5	70 mm	Rosca Larga

### 6.5 Tornillo Canulado, Rosca Corta



REF (TIT)	DIA mm	LONGITUD mm	TIPO ROSCA
MOI 36414030	6.5	30 mm	Rosca Corta
MOI 36414035	6.5	35 mm	Rosca Corta
MOI 36414040	6.5	40 mm	Rosca Corta
MOI 36414045	6.5	45 mm	Rosca Corta
MOI 36414050	6.5	50 mm	Rosca Corta
MOI 36414055	6.5	55 mm	Rosca Corta
MOI 36414060	6.5	60 mm	Rosca Corta
MOI 36414065	6.5	65 mm	Rosca Corta
MOI 36414070	6.5	70 mm	Rosca Corta
MOI 36414075	6.5	75 mm	Rosca Corta
MOI 36414080	6.5	80 mm	Rosca Corta
MOI 36414085	6.5	85 mm	Rosca Corta
MOI 36414090	6.5	90 mm	Rosca Corta
MOI 36414095	6.5	95 mm	Rosca Corta
MOI 36414100	6.5	100 mm	Rosca Corta
MOI 36414105	6.5	105 mm	Rosca Corta
MOI 36414110	6.5	110 mm	Rosca Corta
MOI 36414115	6.5	115 mm	Rosca Corta
MOI 36414120	6.5	120 mm	Rosca Corta
MOI 36414125	6.5	125 mm	Rosca Corta

### 6.5 Tornillo Canulado, Rosca Larga



REF (TIT)	DIA mm	LONGITUD mm	TIPO ROSCA
MOI 36413030	6.5	30 mm	Rosca Larga
MOI 36413035	6.5	35 mm	Rosca Larga
MOI 36413040	6.5	40 mm	Rosca Larga
MOI 36413045	6.5	45 mm	Rosca Larga
MOI 36413050	6.5	50 mm	Rosca Larga
MOI 36413055	6.5	55 mm	Rosca Larga
MOI 36413060	6.5	60 mm	Rosca Larga
MOI 36413065	6.5	65 mm	Rosca Larga
MOI 36413070	6.5	70 mm	Rosca Larga
MOI 36413075	6.5	75 mm	Rosca Larga
MOI 36413080	6.5	80 mm	Rosca Larga
MOI 36413085	6.5	85 mm	Rosca Larga
MOI 36413090	6.5	90 mm	Rosca Larga
MOI 36413095	6.5	95 mm	Rosca Larga
MOI 36413100	6.5	100 mm	Rosca Larga
MOI 36413105	6.5	105 mm	Rosca Larga
MOI 36413110	6.5	110 mm	Rosca Larga
MOI 36413115	6.5	115 mm	Rosca Larga
MOI 36413120	6.5	120 mm	Rosca Larga
MOI 36413125	6.5	125 mm	Rosca Larga

### 7.5 Tornillo Canulado, Rosca Corta



REF (TIT)	DIA mm	LONGITUD mm	TIPO ROSCA
MOI 36416030	7.5	30 mm	Rosca Corta
MOI 36416035	7.5	35 mm	Rosca Corta
MOI 36416040	7.5	40 mm	Rosca Corta
MOI 36416045	7.5	45 mm	Rosca Corta
MOI 36416050	7.5	50 mm	Rosca Corta
MOI 36416055	7.5	55 mm	Rosca Corta
MOI 36416060	7.5	60 mm	Rosca Corta
MOI 36416065	7.5	65 mm	Rosca Corta
MOI 36416070	7.5	70 mm	Rosca Corta
MOI 36416075	7.5	75 mm	Rosca Corta
MOI 36416080	7.5	80 mm	Rosca Corta
MOI 36416085	7.5	85 mm	Rosca Corta
MOI 36416090	7.5	90 mm	Rosca Corta
MOI 36416095	7.5	95 mm	Rosca Corta
MOI 36416100	7.5	100 mm	Rosca Corta
MOI 36416105	7.5	105 mm	Rosca Corta
MOI 36416110	7.5	110 mm	Rosca Corta
MOI 36416115	7.5	115 mm	Rosca Corta
MOI 36416120	7.5	120 mm	Rosca Corta
MOI 36416125	7.5	125 mm	Rosca Corta
MOI 36416130	7.5	130 mm	Rosca Corta
MOI 36416135	7.5	135 mm	Rosca Corta

### 7.5 Tornillo Canulado, Rosca Larga



REF (TIT)	DIA mm	LONGITUD mm	TIPO ROSCA
MOI 36415030	7.5	30 mm	Rosca Larga
MOI 36415035	7.5	35 mm	Rosca Larga
MOI 36415040	7.5	40 mm	Rosca Larga
MOI 36415045	7.5	45 mm	Rosca Larga
MOI 36415050	7.5	50 mm	Rosca Larga
MOI 36415055	7.5	55 mm	Rosca Larga
MOI 36415060	7.5	60 mm	Rosca Larga
MOI 36415065	7.5	65 mm	Rosca Larga
MOI 36415070	7.5	70 mm	Rosca Larga
MOI 36415075	7.5	75 mm	Rosca Larga
MOI 36415080	7.5	80 mm	Rosca Larga
MOI 36415085	7.5	85 mm	Rosca Larga
MOI 36415090	7.5	90 mm	Rosca Larga
MOI 36415095	7.5	95 mm	Rosca Larga
MOI 36415100	7.5	100 mm	Rosca Larga
MOI 36415105	7.5	105 mm	Rosca Larga
MOI 36415110	7.5	110 mm	Rosca Larga
MOI 36415115	7.5	115 mm	Rosca Larga
MOI 36415120	7.5	120 mm	Rosca Larga
MOI 36415125	7.5	125 mm	Rosca Larga
MOI 36415130	7.5	130 mm	Rosca Larga
MOI 36415135	7.5	135 mm	Rosca Larga